

# [POWER] [COMMANDER III]

CERTIFIED **USB**

## 2006-2007 Aprilia RXV/SXV 450. Installation Instructions

### Parts List

- 1 Power Commander
- 1 USB Cable
- 1 CD-ROM
- 1 Installation Guide
- 1 Power Adapter
- 2 Power Commander Decals
- 2 Dynojet Decals
- 2 Dual Lock Velcro® Strip
- 1 Alcohol Swab
- 2 zip ties

**The ignition MUST be turned OFF before installation!**

You can also download the Power Commander software and latest maps from our web site at:

[www.powercommander.com](http://www.powercommander.com)

Button Adjustment Display




Faceplate Buttons

Expansion Port      USB Port




**PLEASE READ ALL DIRECTIONS BEFORE STARTING INSTALLATION**

Fig. A




- 1 Remove the right hand side radiator shroud.
- 2 Disconnect the wiring harness from the throttle bodies to the main wiring harness (Fig. A).

Fig. B




- 3 Connect the PCIII wiring harness in-line of the stock main wiring harness and the throttle body harness (Fig. B).

Fig. C



- 4 Connect the ground wire of the PCIII to the mounting bolt of the right hand side ignition coil (Fig.C).

Fig. D



5 Using the supplied zip ties attach the PCIII to the right hand side frame support (Fig. D).

Route the zip ties thru the mounting tabs on the PCIII.

The PCIII harness is intentionally long to allow for an alternate mounting location if needed.